



HARSI MANILABLE CAUPY

FIG. 2 12 13 11 MAIN MAIN **MDEC DMAC MEMORY B1** 16 14 10 CPU INT VIDEO MAIN OUTPUT **CRTC** FRAME CPU 15-**PATH MEMORY** INTERFACE 22 20 SUB SUB SUB ROM MEMORY **DMAC** CPU **B2** 24 27 26 **AUDIO** SPU OUTPUT **MEDIA** DRIVE **MTA** 28 SOUND -25 **MEMORY** 32 33 CONNECTION CONNECTION CONNECTION **TERMINAL** TERMINAL TERMINAL INPUT PART **OPERATING** 35-**VIDEO CAMERA** DEVICE








FIG. 6

DETAILED PROCESSING OF STEP S103
(FOR CASE OF SINGLE NAVIGATION)




FIG. 7

TOUCH DETERMINING PROCESSING OF STEP S22




FIG. 8

SINGLE NAVIGATION (FOR CASE OF TOUCH PATTERN 12-4-7)





FIG. 9

DETAILED PROCESSING OF STEP \$103
(FOR CASE OF DOUBLE NAVIGATION)



Nuccen ner

FIG. 10

DOUBLE NAVIGATION (FOR CASE OF TOUCH PATTERN 12,7→2,10)




FIG. 11

DETAILED PROCESSING OF STEP \$103
(FOR CASE OF LIGHTNING NAVIGATION)




FIG. 12

LIGHTNING NAVIGATION
(FOR CASE OF TOUCH PATTERN 12-4-7)





FIG. 13

DETAILED PROCESSING OF STEP \$106

(FOR CASE WITHOUT NAVIGATION: NUMBER OF TOUCHES IS N)



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.